10550323

/jbf/

My Citations | Scholar Preferences | Sign in

Google scholar mass storage and Field Programmable Gate an

Search

Advanced Scholar Search

Scholar | Articles and patents

anytime

include citations

Create email alertResults 1 - 10 of 12. (0.17 sec)

#### Intelligent data storage and processing using fpga devices

RD Chamberlain, BM Brink... - US Patent App. ..., 2004 - freepatentsonline.com

... This was the first type of PLD, known as a "programmable array logic" or PAL. ... find the approximate match, due to misspelling, of the word "Baghdad", and return a data field which is ... target data is compared continuously "on the fly" as it is read from the mass storage medium 26 . ... Cached

#### Intelligent data storage and processing using fpga devices

RD Chamberlain, BM Brink, JR White... - US Patent App. 10/ .... 2004 - Google Patents ... Sheet 8 of 47 US 2007/0277036 Al 62 • 64 Application Call to OS Mass Storage Utilities 66 ... Data Key Digital Key to Analog Key Signal Generation i 3 l g 5 Storage medium control ... 2007 Sheet 39 of 47 US 2007/0277036 AI 4300 4300 Synthesis Tool 4300 Gate Level Description ...

# Intelligent data storage and processing using fpga devices

RD Chamberlain, MA Franklin... - US Patent App. ..., 2004 - freepatentsonline.com

... This was the first type of PLD, known as a "programmable array logic" or PAL. ... logic unit and the interconnections between logic units can be programmed in the field after manufacture of ... it will be assumed that the target data is written onto the magnetic mass storage medium 26 ... Cached

## Intelligent data storage and processing using fpga devices

RD Chamberlain, MA Franklin... - US Patent App. 10/ ..., 2004 - Google Patents

... on the target data including without limitation exact and approximate match searches, sequence match searches ... of 47 US 2006/0294059 AI 62 —H Application 64 I • Call to O.S. Mass Storage Utilities .0 ... Key Signal Generation 1 WritB Data Key on j Disk 1 Storage medium control ...

## Semiconductors: The key to computational plenty

ME Jones, WC Holton... - Proceedings of the IEEE, 1982 - ieeexplore.ieee.org

... The Junction Field-Effect Transistor (JFET) was invented during this early time frame [20]; however, it did ... They consist of regular geometric arrays of identical storage elements, and the need for ... have already pushed calculator prices down to a point at which mass ownership has ...

Cited by 5 - Related articles - All 3 versions

#### METHODS AND SYSTEMS FOR CONTENT PROCESSING

GB Rhoads, L John, TF Rodriguez... - US Patent App. ..., 2009 - freepatentsonline.com

... 38 c may be directed to hand-off the processed pixel packet to the **Query** Router and ... 36 can set up a frame request using a filtered or time-series prediction **sequence** of focus ... For example, some or all may be **field programmable gate** arrays, such as Xilinx Virtex series devices. ...

Related articles - Cached

## [BOOK] New turbomolecular pump with central opening for free axial access

PH Mokler, A Bardonner... - 2004 - Citeseer

... The connectivity to **field** bus systems like CAN, CAN-OPEN, Profibus, Firewire or GPIB as well as the ... Fourth, there is the possi- bility to **query** the methods of a class together with input and ... selective trigger[2] able to identify electron/positron pairs in a given invariant **mass** range ...

Related articles - View as HTML - Library Search - All 19 versions

## [PS] A Bibliography of Publications in the IBM Journal of Research and Development

NHF Beebe - 2009 - Citeseer

... Compact [Mar80]. comparators [BW81b]. **Comparison** [Bla65]. compatible [DTTK95]. Compatibles [Mar64a]. ... continuing [Gre97]. Continuity [Tof88]. **continuous** [Gre59]. continuum [ABM+01]. ... Correctness [Bir74]. Correlated [Lik88]. **correlation** [Wat60a]. Correlative [TG91]. ...

Related articles - View as HTML - All 3 versions

## Methods and Systems for Content Processing

TF Rodriguez - US Patent 20,110,143,811, 2011 - freepatentsonline.com

... follows, which literally loads library elements into properly ordered places in a **field programmable gate** array set-up, or ... down into chewable chunks, they are fed into the newly programmed **gate** array (or ... With a taste of what's available, the user (or the **query** router and response ... Gached

## Investigation of New Techniques for Face detection

AS Abdallah - 2007 - scholar.lib.vt.edu

... the discrete wavelet transform (2D-DWT), have been widely used in the field of image ... The correlation between the values of the different coefficients among different patterns of various ... the feature vector to meet the capabilities of the computational power and storage space that ...

Cited by 1 - Related articles

#### Create email alert

Result Page: 12Next

[PDF] from psu.edu

[PS] from psu.edu

IPDFI from vt.edu

mass storage and Field Programma Search

Go to Google Home - About Google - About Google Scholar

©2011 Google